

**AMENDMENT TO  
PUTNAM TOWNSHIP SEWER USE ORDINANCE  
FOR THE SEWER DISTRICT OF THE  
MULTI LAKES AREA WATER & SEWER AUTHORITY**

ORDINANCE NO. 30 - E

The Putnam Township Sewer Use Ordinance No.30 enacted pursuant to the authority of Act 246 of the Public Acts of 1945, as amended, Act 191 of the Public Acts of 1939, as amended, Act 233 of the Public Acts of 1955, as amended, and Act 368 of the Public Acts of 1978, as amended, for the area served by the Multi Lakes Area Water and Sewer Authority to regulate private and public sewers, sewer connections, industrial waste pretreatment facilities and discharge of industrial waste into the Multi-Lakes Water and Sewer Authority publicly-operated treatment works and to provide for pollutant limitations, data collection, monitoring and sampling and to preserve, promote and protect the health, safety and general welfare of the persons and property within Putnam Township; to provide for the enforcement hereof; and to provide penalties and remedies for the violation hereof, and to amend certain provisions regarding the determination of equivalent residential unit and the metering of flow and imposition of additional charges.

The Township of Putnam, County of Livingston, State of Michigan, ordains:

Sec. 1.0        Amendment

The Putnam Township, Sewer Use Ordinance, No. 30, adopted August 18, 1999, and as amended February 21, 2007, May 20, 2009 and June 5, 2009, is hereby amended by the addition, modification, and substitution of the provisions of this Amendment:

Section 8.2    Discharge Pollutant Limitations is amended by the deletion of the present provision and the substitution in its place and stead of the following provision:

8.2.1 Unless specifically authorized by the Superintendent, no discharge wastewater shall contain in excess of the following:

a)	ND <sup>(1)</sup>	mg/L arsenic
b)	0.0025	mg/l cadmium
c)	230	mg/L chloride
d)	ND	mg/l chromium (total)
e)	.05	mg/l copper
f)	0.10	mg/l cyanides
g)	0.002	mg/l lead
h)	ND <sup>(2)</sup>	mg/l mercury
i)	ND	mg/l nickel
j)	ND	mg/l silver
k)	120	mg/l sodium
l)	ND	mg/l zinc

where:        ND<sup>(1)</sup> indicates nondetectable per the practical level of quantification for U.S. EPA Method 206.2, unless a higher detection level is appropriate because of demonstrated sample matrix interference; and

ND<sup>(2)</sup> indicates nondetectable per the practical level of quantification for U.S. EPA Method 245.1, unless a higher detection level is appropriate because of demonstrated sample matrix interference.

Sec. 2.0 Reaffirmation of Sewer Use Ordinance. The remaining Sections of Ordinance No.30 and all amendments are hereby ratified and reaffirmed to the extent not inconsistent herewith.

Section 3.0. The within amending ordinance shall be effective twenty (20) days after adoption and publication as provided by law.

\* \* \* \* \*

STATE OF MICHIGAN )  
COUNTY OF LIVINGSTON)SS

I, SALLY GUYON, Clerk of the Township of Putnam, a Michigan Township, do hereby certify that at a regular meeting of the Putnam Township Board, held at the Putnam Town Hall, 3280 West M-36, Pinckney, Michigan 48169, in said Township at 7 p.m., Eastern Daylight Time, on the 18<sup>th</sup> day of November, 2009, that the above Ordinance was adopted and that the following Members were present:

Rau, Guyon, McCloskey, Chambers, Dobis and Carney

The following members were absent: Klein

That upon motion made by McCloskey and seconded by Guyon, said Ordinance was adopted on the following roll call vote:

AYES: Rau, Guyon, McCloskey, Chambers, Dobis and Carney

NAYS: None

I further certify that on the 11<sup>th</sup> day of December, 2009, I caused a true copy of said Ordinance to be published in the Livingston County Press and Argus, a newspaper circulated in the Township of Putnam, and that said Ordinance and the record of publication was duly recorded in the Book of Ordinances of the Township of Putnam, is effective immediately, and is available for public use and inspection at the offices of the Putnam Township Clerk, 3280 West M-36, Pinckney, Michigan 48169 during regular business hours.

\_\_\_\_\_  
Sally Guyon, Putnam Township Clerk

Dated: December 8, 2009.